

Park Planet



Orion Elementary School State Pre-K - Option 2

Tammie Ward
Direct: 831-747-0585
Email: Tammie@parkplanet.com

415 Elm St
Red Bluff, CA 96080

www.parkplanet.com

O: 877.743.7619
F: 530.246.0518



Park Planet

Orion Elementary School

State Pre-K - Option 2

- POWDER COAT 1: Pacific Blue
- POWDER COAT 2: Sprout Green
- PLASTIC 1: Campfire Orange
- PLASTIC 2: Pacific Blue
- PLASTIC 3: Sprout Green
- LAYERED HDPE: Blue / Yellow
- THERMOPLASTIC: Pacific Blue
- PLAY TUFF: Pacific Blue



Orion Elementary School

State Pre-K - Option 2

- POWDER COAT 1: Pacific Blue
- POWDER COAT 2: Sprout Green
- PLASTIC 1: Campfire Orange
- PLASTIC 2: Pacific Blue
- PLASTIC 3: Sprout Green
- LAYERED HDPE: Blue / Yellow
- THERMOPLASTIC: Pacific Blue
- PLAY TUFF: Pacific Blue




Park Planet

Orion Elementary School

State Pre-K - Option 2

- POWDER COAT 1: Pacific Blue
- POWDER COAT 2: Sprout Green
- PLASTIC 1: Campfire Orange
- PLASTIC 2: Pacific Blue
- PLASTIC 3: Sprout Green
- LAYERED HDPE: Blue / Yellow
- THERMOPLASTIC: Pacific Blue
- PLAY TUFF: Pacific Blue



RCESD, ORION ES STATE PREK OPTION 2

TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
8	8/4	0/0	6/3	4/3
CHILD CAPACITY 80		MAX FALL HEIGHT 60		


R35

FOR KIDS
AGES
2-5

GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.



STRUCTURE # R35E313BB
 PROJECT # PPT2464A5EB-2
 DATE 12/18/2024

Park Planet
 MIN. USE ZONE 38' x 38' (11.343m x 11.462m)




ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	1/0	1/0
CHILD CAPACITY	5	MAX FALL HEIGHT	0	



FOR KIDS
AGES
2-5

Clubhouse w/ Roof



GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE # R50D1987B
PROJECT # PPT2464A5EB-2
DATE 12/18/2024

Park Planet
MIN. USE ZONE 0' x 0' (0m x 0m)



RCESD, ORION ES STATE PREK OPTION 2

TOP VIEW

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
0	0/0	0/0	0/0	0/0
CHILD CAPACITY	0	MAX FALL HEIGHT	0	

1305 AGE
APPROPRIATE
SIGN



GENERAL NOTES

This conceptual plan is based on information provided prior to construction. Detailed site information, including the following, should be obtained, evaluated, and utilized in the final project design. Exact site dimensions, topography, existing utilities, soil conditions and drainage solutions.

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

STRUCTURE # STA1305
PROJECT # PPT2464A5EB-2
DATE 12/18/2024

Park Planet
MIN. USE ZONE 0' x 0' (0m x 0m)



RCESD, ORION ES STATE PREK OPTION 2


SITE PLAN

ADA ACCESSIBILITY GUIDELINES - ADAAG CONFORMANCE

ELEVATED	ACCESSIBLE	RAMP ACCESSIBLE	GROUND	TYPES
8	8/4	0/0	7/3	4/3

Mixed Types

FOR KIDS AGES 2-5



Approx. 1,764sqft of Playground Safety Surfacing

GENERAL NOTES

This Preliminary Site Plan is based on measurements that were provided in the initial planning phase. All dimensions must be verified prior to the submission of a purchase order. Playcraft Systems will not be held responsible for any discrepancies between actual dimensions and dimensions submitted in the planning phase.

The Minimum Use Zone for a play structure is based on the product design at the time of proposal. Components and structure designs may be subject to change which may affect dimensions. Therefore, before preparing the site, we strongly recommend obtaining final drawings from the factory (available after the order is placed and included in the Assembly Manual).

WARNING: Accessible safety surfacing material is required beneath and around this equipment that has a critical height value (Fall Height) appropriate for the highest accessible part of this equipment. Refer to the CPSC'S Handbook For Public Playground Safety, Section 4: Surfacing.

PROJECT # PPT2464A5EB-2
DATE 12/18/2024

Park Planet
MIN. USE ZONE 41' x 38' (12.37m x 11.455m)



MATERIAL COLORS OFFERED

IMPORTANT: The colors shown are for illustration purposes only. Actual colors may vary. Contact your Playcraft Distributor for accurate color samples.

Powder-coat Colors

Metal components receive a multi-stage powder-coating process that yields a highly durable protective finish.



Roto-molded Plastic Colors

Using hot-blended color compounded resins our roto-molded products stay bright and colorful even after years of wear.




HDPE Sheet Plastic Colors

Our high density polyethylene sheet plastic is available in solid and layered colors for a variety of design opportunities.



Play-Tuff™ Coating Colors

Our in-house state-of-the-art Play-Tuff™ (plastisol) coating process offers unmatched protection on decks & steps.



Thermoplastic Coating Colors

Our Thermoplastic Polyethylene coating is an environmentally responsible choice.



Shade Canopy Fabric Colors

Our ultra-tough fabrics come in a wide variety of colors and provide superior protection from harmful ultra-violet rays.



Play-Cord™ Cable Colors

Cables are made from tightly woven, abrasion-resistant, nylon-wrapped, multi-strand galvanized steel cable.



Swing Seat Colors

Slash Proof Seats are constructed from durable elastomer and come in a variety of colors.




PLAYCRAFT COLOR CHART

METALUXE™ Signature Powder-coat Colors



PLAY-TUFF™ Coating Colors



Powder-coat Colors



Roto-molded Plastic Colors




Solid HDPE Colors Layered HDPE Colors



Thermoplastic Coating Colors



Shade Canopy Fabric Colors



Swing Seat Colors



PLAY-CORD™ Cable Colors



INDUSTRY LEADING WARRANTY

Every product we manufacture is designed with quality, safety and value in mind. Every project we undertake is an opportunity to prove that Playcraft Systems is setting a new standard and raising the bar on quality and play expectations... one playground at a time.



Playcraft Systems® warrants its products to be free from defects in materials and workmanship, when properly used, serviced and installed in accordance with published specifications, for a period of one (1) year from the original date of invoice. Playcraft Systems® further warrants as follows:

LIFETIME LIMITED WARRANTY

on all stainless steel hardware, metal posts, aluminum posts, aluminum caps and aluminum clamps against structural failure due to natural deterioration or corrosion, or defects in materials or workmanship.

TWENTY-FIVE (25) YEAR LIMITED WARRANTY

on all cast aluminum Spring Rider castings against structural failure due to defects in materials or workmanship.

FIFTEEN (15) YEAR LIMITED WARRANTY

on all metal rails, metal slides, handles, rungs, loops and walls, all Play-Tuff™ coated perforated steel decks, steps, and bridges, all rotationally molded and HDPE sheet plastic components, excluding recycled plastic components, against structural failure due to defects in materials or workmanship.

All warranties above commence on the date of the original invoice from Playcraft Systems®. For the purpose of this warranty, the term LIFETIME encompasses no specific number of years, but rather that Playcraft Systems® warrants to its original customer, for as long as the original customer owns the Products and uses the Products for their intended purpose, that any Products and all components will be free from defects in materials and workmanship. The warranty stated above is valid only if the products and finishes: (1) are assembled and installed in conformity with the layout plan and installation instructions furnished by Playcraft Systems®; (2) have been maintained and inspected in accordance with Playcraft Systems® maintenance information and other normal and prudent practices; (3) have been subjected to normal use for the purpose for which the products were designed and intended; (4) have not been subjected to misuse, abuse, vandalism, accident or neglect; (5) have not been altered in any manner including, but not limited to, incorporating unauthorized or unapproved parts; and (6) have not been modified, altered, or repaired by persons other than Seller's designees in any respect which, in the judgment of Seller, affects the condition or operation of the equipment. This warranty does not cover: (1) cosmetic damages or defects resulting from scratches, dents, marring, rough handling, improper installation methods, fading, discoloring or weathering; (2) damage due to extreme or prolonged exposure to "Environmental Factors", such as wind-blown sand, salt water, salt spray and airborne emissions from industrial sources (sulfur, acids, chemicals, or corrosive agents, other than normal photochemical smog); (3) damage caused by environmental hazards and "Acts of God", such as hail, flooding, lightning, tornadoes, sandstorms, earthquakes, windstorms, and other extreme weather conditions; or (4) normal wear and tear. No warranty is made with regard to gloss retention or uniformity of gloss and color retention. If any products covered by this warranty fail within the time period applicable to a defective product, Playcraft Systems® shall, upon being notified of the defect in writing, at its sole option, either repair the defective products or replace the defective products within 90 days of receipt of the written notification. Repair or

TEN (10) YEAR LIMITED WARRANTY

on all shade canopy fabric made of UV Stabilized HDPE monofilament yarn and tape against significant fading.

TEN (10) YEAR LIMITED WARRANTY

on all Play-Cord™ cable and Net-Effects™ connectors against breakage and failure due to defects in materials or workmanship.

FIVE (5) YEAR LIMITED WARRANTY

on all Playcraft System® powder coating against cracking and/or peeling due to normal climatic exposure.

THREE (3) YEAR LIMITED WARRANTY

on all springs, Net-Effects™ rubber belting, moving swing parts, swing seats and other swing components, as well as all recycled plastic components against failure due to defects in materials or workmanship.

ONE (1) YEAR LIMITED WARRANTY

on all moving parts and on any other product or part not specifically covered above against failure due to defects in materials and workmanship.

replacement as provided in this section shall be the purchaser's exclusive remedy and purchaser expressly agrees that Playcraft Systems® shall not be responsible for any other damages, losses, or costs, including consequential and incidental damages, claimed by purchaser. Playcraft Systems® shall deliver the repaired or replacement products to the purchaser free of charge, but shall not provide labor, reimbursements for labor or reimburse any other costs associated with the removal or disposal of the defective products and/or the installation of any replacement products. Notwithstanding the previous sentence, Playcraft Systems® shall not pay for any costs of shipping replacement parts outside of the continental United States. Any products replaced or repaired consistent with this paragraph shall be guaranteed for the balance of the original warranty period. THIS WARRANTY IS EXCLUSIVE AND IS IN LIEU OF ALL OTHER WARRANTIES, WHETHER EXPRESSED OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE REMEDIES PROVIDED HEREIN SHALL BE THE EXCLUSIVE AND SOLE REMEDIES OF THE ORIGINAL PURCHASER. PLAYCRAFT SYSTEMS® IS NOT LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, INCIDENTAL OR CONSEQUENTIAL DAMAGES WHICH MAY ARISE FROM THE PURCHASE, USE OR MISUSE OF ITS PRODUCTS. SOME STATES DO NOT ALLOW THE EXCLUSION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION MAY NOT APPLY. PLAYCRAFT SYSTEMS® NEITHER ASSUMES NOR AUTHORIZES ANY OTHER PERSON TO ASSUME OR IMPLY ANY OTHER LIABILITY IN CONNECTION WITH THE SALE OR USE OF THE EQUIPMENT SOLD. To make a claim under the terms of this warranty, purchaser must submit a written statement detailing the nature of the warranty claim, including an itemization of each defective condition, along with a copy of the original invoice, maintenance records and supporting photographs to Playcraft Systems®, 123 North Valley Drive, Grants Pass, Oregon 97526. Due to our ongoing commitment to product development and Improvement, Playcraft Systems® reserves the right to change, modify or discontinue certain products without notice. (Rev. Q)



Park Planet
 a Division of Park Associates, Inc.
 415 Elm Street
 Red Bluff CA 96080

Quote# Q26-2468

Orion Elementary School

OPTION 2 - Revision 05.03.2026

Bill To:

Redwood City School District
 750 Bradsford St.
 Redwood City CA 94062
 United States

Quote Date: 05/03/2026

Quote Expires: 06/02/2026

Terms: Net 30dys / Shipment

Quote Total: \$172,258.92

Contact Name	Contact Phone	Contact Email	Sales Rep	Sales Rep Email
Martin Cervantes	+16507822200	mcervantes@rcsdk8.net	Tammie Ward	tammie@parkplanet.com

Description	Vendor	Qty	Rate	Amount
ORION ES STATE PRESCHOOL - PLAYGROUND EQUIPMENT - OPTION 2				
PR-R35 Playground Structure Round 3.5" Steel System SN:R35E313BB	Playcraft Systems, Inc	1	\$40,399.00	\$40,399.00
PR-R5 Playground Structure Round 5" Steel System SN:R50D1987B	Playcraft Systems, Inc	1	\$7,307.00	\$7,307.00
A2-1305 2-5 Age Appropriate Sign (Roto)	Playcraft Systems, Inc	1	\$466.00	\$466.00
CMAS DISCOUNT				
CMAS Discount CMAS Discount - Vendor ID: 4-16-78-0038E	CMAS	1	(\$4,817.20)	(\$4,817.20)
FREIGHT				
PCF Playcraft Freight **PlayCraft shipping pallet dimensions can reach upwards of 4'W x 8'H x 18'L and will be delivered on a 53' dry-van WITHOUT a liftgate. Offloading is the CUSTOMER'S responsibility and is NOT included in shipping costs. (2) Forklifts or (1) Forklift with extended forks and a capacity of greater than 5,000lbs will be required to offload the pallet(s). Please discuss offloading options with an Park Planet representative PRIOR to placing an order.	Playcraft Systems, Inc	1	\$2,214.00	\$2,214.00
RUBBER SURFACING MATERIALS				



Park Planet
 a Division of Park Associates, Inc.
 415 Elm Street
 Red Bluff CA 96080

Quote# Q26-2468

Orion Elementary School

OPTION 2 - Revision 05.03.2026

Description	Vendor	Qty	Rate	Amount
Park Planet Item Provide & Install 1,764 SF of 2" Total Uniform Thickness SpectraPour Safety Surfacing. 2" Uniform Thickness is Rated For Maximum Fall Height of 5'-0". Provide Wear Layer to be 50% Standard Color/50% Black (Colors Included: Inferno Red, Shamrock Green, Cobalt Blue, Pewter Gray and Sandstone Beige). No Graphics or Pattern	Park Associates dba PARK PLANET	1	\$27,790.00	\$27,790.00
CMAS DISCOUNT				
CMAS Discount CMAS Discount - Vendor ID: 4-16-78-0038E-Sup 3:	CMAS	1	(\$2,779.00)	(\$2,779.00)
INSTALLATION				
Installation by Park Associates Inc. CA - Lic# 959805 DIR# PW-LR-1000423561 Wage Rate: Prevailing Installation assumes normal digging conditions with standard bobcat & auger. Bobcat & concrete truck access required.				
Install Temporary Fencing for Duration of Project	Park Associates dba PARK PLANET	1	\$2,515.00	\$2,515.00
Install Portable Restroom for 60 Days	Park Associates dba PARK PLANET	1	\$430.00	\$430.00
Install Receive & Offload Equipment	Park Associates dba PARK PLANET	1	\$2,645.00	\$2,645.00
Install Demo & Disposal of Existing Equipment	Park Associates dba PARK PLANET	1	\$4,285.00	\$4,285.00
Install Footing Spoils Removal & Disposal	Park Associates dba PARK PLANET	1	\$1,860.00	\$1,860.00
Install Removal & Disposal of Approximately 1,764 SF of Rubber Tiles and Buffings	Park Associates dba PARK PLANET	1	\$8,250.00	\$8,250.00
Install Installation of Playcraft Equipment Per Option 2	Park Associates dba PARK PLANET	1	\$32,060.00	\$32,060.00
Install Installation of 1,764 SF of Poured in Place Rubber Surfacing with Perimeter Saw Cut up to 175 LF as Needed	Park Associates dba PARK PLANET	1	\$19,525.00	\$19,525.00
ADD ALT FOR POURED IN PLACE TO FINISH AT GRADE - COST INCLUDED IN TOTAL				



Park Planet
 a Division of Park Associates, Inc.
 415 Elm Street
 Red Bluff CA 96080

Quote# Q26-2468

Orion Elementary School

OPTION 2 - Revision 05.03.2026

Description	Vendor	Qty	Rate	Amount
Install Demo 1,764 SF of Existing Asphalt, Approx 2" Depth, Dispose Off Site	Park Associates dba PARK PLANET	1	\$6,285.00	\$6,285.00
Install Installation of 168 LF of Concrete Curbing 6" x 4"	Park Associates dba PARK PLANET	1	\$8,980.00	\$8,980.00
Install Recompact Existing Baserock Subbase Under Asphalt to 95% Compaction	Park Associates dba PARK PLANET	1	\$4,715.00	\$4,715.00

ADD ALT - COST NOT INCLUDED IN TOTAL

Addition of 2" of Class II Baserock Skim Coat if Asphalt Depth is 3" - 4" in Depth = **\$8,820**

PAYMENT & PERFORMANCE BOND

BOND Payment & Performance Bond - *Subject to surety approval	InterWest Insurance Services LLC	1	\$3,378.00	\$3,378.00
---	----------------------------------	---	------------	------------

EXCLUSIONS

- Location/Marking of utility, plumbing and irrigation lines
- Dumpster for trash and packaging materials
- Offloading and storage of equipment
- Moving equipment from storage site to construction site
- Site preparation not specifically stated
- Drainage Consideration
- Inspections, material testing, or applicable permits and fees
- Removal of obstacles in access route
- Landscape/Hardscape repair based on access route
- Cleaning of structure(s) is excluded unless otherwise stated
- Site security including security fencing
- Bonding or Special Insurance - fees may apply if required

By signing below, you acknowledge and agree to our Contract; Exclusions, Conditions & Payment Terms, which are to be included in, and supersede any additional contracts or sub-contract agreements made separately based on this "Estimate". Unless otherwise specified above we Exclude Responsibility for: additional mobilizations due to delays or layout conflicts, conditions unforeseen and/or not disclosed at time of estimate, repairing unmarked underground utilities and pipes. Site Conditions Prior to Installation: Grades; stable, compacted, & workable (rough grade to be taken + or - one tenth of one inch), adequate access to work site provided for workmen, materials, tools & equipment. Quote assumes all labor to be completed without interruption.

Excavation of play area and concrete perimeter curbs by others. Excavated area must be graded to less than 2% before installation can begin.



Park Planet
 a Division of Park Associates, Inc.
 415 Elm Street
 Red Bluff CA 96080

Quote# Q26-2468

Orion Elementary School

OPTION 2 - Revision 05.03.2026

Description	Vendor	Qty	Rate	Amount
-------------	--------	-----	------	--------

IF APPLICABLE:

1. Park Planet installers are not signatory to any unions and will not sign any PLA for the installation of the playground or special playground surfacing. The following supply and/or installation estimates do not include signing a PLA or paying any union labor or fees. All of the labor quoted herein will need to be excluded from a PLA agreement and union labor requirement waived by the purchasing agency, owner or District.

2. Skilled & Trained Workforce: If this project is a Lease Lease-Back, or Design-Build Project, or a contract that triggers the Skilled and Trained Workforce requirements for a Public Works project, please contact Park Planet immediately. The Following estimate for equipment and/or labor does NOT include such compliance. Park Planet and their subcontractors will NOT comply with Skilled and Trained Workforce labor and reporting. Park Planet's portion of work (and our subcontractor's work) will need to fall within an exception or waiver to the Skilled and Trained Workforce requirements or our estimate will not be valid.

Subtotal	\$165,507.80
Tax Total (%)	\$6,751.12
Total	\$172,258.92

A PURCHASE ORDER OR SIGNED CHANGE ORDER MUST BE RECEIVED BEFORE ADDITIONAL EQUIPMENT, INSTALLATION, OR SERVICES CAN PROCEED. IF PAYING BY CREDIT CARD, A SURCHARGE WILL BE ASSESSED ON PAYMENT AMOUNT FOR 3.5% VISA/MC OR 5% AMEX.

Printed Name: _____ Title: _____

Authorized Signature: _____ Date: _____

**Purchasing agent who is authorized to enter into binding agreement for quoted entity.

**By signing this quote, I have read and agree to the quote Terms & Conditions listed below, on the following page.



Park Planet
a Division of Park Associates, Inc.
415 Elm Street
Red Bluff CA 96080

Quote# Q26-2468
Orion Elementary School
OPTION 2 - Revision 05.03.2026

TERMS & CONDITIONS

1. General Notes Assembly, Installation and Offloading NOT included unless otherwise noted.
Payment and Performance bonds, Builder's Risk and special insurance NOT included unless stated and quoted.
Customer responsible for quantities and model numbers. Revised quote needed if quantities revised.
2. Payment / Ordering Credit terms specific to each customer. See terms in upper right corner of Park Planet quotes..
Purchase orders or purchase contracts are needed to order. If none available, a signed Park Planet quote may be used in lieu of a formal PO.
All past due accounts subject to 1 ½ % monthly finance charge. In the event legal action is required to effect collection, venue shall be Red Bluff, CA.
3. Shipping / Unloading Shipped by Common Carrier – Customer will need 2 to 4 people to unload. Liftgate NOT included unless quoted. Items will be boxed and / or stretch wrapped to pallets and customer is responsible for offloading. Delivery Drivers do NOT unload.
IMPORTANT: Customer is responsible for receiving and checking quantities and condition at time of delivery Please note any shortages or damages on delivery copy.
Notwithstanding anything to the contrary in any Contract Documents, Customer understands that estimated shipment times for materials are an estimate only.
We have no control over shipment dates. We thus make no guarantee to Owner or Customer regarding the projected shipment dates for materials and shall not be liable for any loss caused by the timing of shipments.
4. Engineered Wood Fiber
Customer to provide access for Engineered Wood Fiber delivery with tractor truck and 53' trailer.
Compaction of the Engineered Wood Fiber is NOT included in the installation cost, if desired, please request an updated proposal.
5. General Notes for Purchased Installation
Installation does NOT include ground preparation, excavation, safety surfacing, and/or safety surfacing borders, prep work, flat work, grading, rerouting of water, electric, drainage or sprinkler lines unless otherwise noted in the proposal.
Demo of existing equipment or safety surfacing is NOT included unless otherwise stated in the proposal.
ROCK CLAUSE: Pricing is based on normal soil conditions which would allow an auger on a tractor to dig footings. If rocks/boulders interfere with the progress of the excavation, additional fees may apply.
ACCESS CLAUSE: Installation based on clear access to area. Crane service is NOT included. Customer to provide access for bobcat to work area, bobcat will be provided by the installer. Minimum access shall be 7' wide and 7' high. If adequate access is not provided additional charges may apply and repairs to landscape and irrigation may be required. Customer is responsible for any repairs to landscape if proper access is not provided.
UTILITY CLAUSE: Unless stated in writing in the quote proposal, installation does not include marking of utilities by Dig Alert or other similar entities. Customer can, however, call Dig Alert directly. Dig Alert CANNOT locate any private lines, PVC or plastic water lines. Installation does NOT include repair or relocating any underground utilities, such as drainage, irrigation, live water lines, main low voltage lines, gas, electrical, communication, or sewer etc.
Customers responsibility to provide locations of any utilities prior to commencement of work.
Customer is responsible for all landscape repairs such as, but not limited to damaged trees, bushes, lawn, curbing, sidewalks and/or asphalt paving caused by materials truck and/or 2ton bobcat needed to complete project.
6. Temporary Fencing
Security guards and/or temporary fencing to prevent injuries, vandalism and/or accidental damage to install area or to the rubberized surface while it sets is NOT included unless noted on quote. If desired, the installers can put up caution tape, but Temporary Fencing is recommended. Although the fencing, if provided, is intended to provide this security, the overall security of the property is ultimately the responsibility of customer. We are not responsible for any vandalism or injuries even with the provision of the fencing.
7. ADA Access
Play Equipment MUST be installed over an impact absorbing surface such as ADA compliant Engineered Wood Fiber or Rubber Surfacing. If not quoted, please call for details.
This area is NOT ADA compliant without the installation of compliant surfacing and an accessible route up to and into the playground area. Please call for details.
8. Poured in Place Rubber Surfacing
Rubber Surfacing cannot be installed during extreme weather conditions and may not be installed if rain or frost is forecasted during 48-72 hr. cure time. 24 Hour Manned Security is NOT included in Park Planet quotes.
9. Shade Shelters (non DSA)
Shade Shelter installation price EXCLUDES – unless otherwise stated in this quote engineering, drawings, calculations, permits, permit submittal, site plans, special inspections, soil reports, impact fees, special assessment fees. Customer is responsible for any and all of these items if required by the City/County.
PLEASE NOTE: Shade Orders are NOT released into production until permit is issued!
Shade Shelter installation price EXCLUDES concrete pad, footings, masonry columns, electrical wiring and lights unless otherwise noted.
10. Shade Shelters (DSA)
Fabrication cannot begin until AFTER DSA approval by your architect
DSA in-plant Welding Inspector to be hired by the School District. Welding Inspector fee has NOT been quoted.
School District / Architect responsible for submission of plans to DSA for DSA approval
Pricing does NOT include footings, steel cages, anchor bolts, or erecting of shade shelter unless otherwise noted.
11. Prevailing Wages – assumed and quoted unless specifically excluded due to private works.
Park Planet does not meet the Skilled & Trained Workforce Requirements and will not participate in same. Park Planet will not sign any PLA's for Union Work and is not signatory to any unions.